U.S. PATENT DOCUMENTS

EXAMINER INITIALS	CITE DOCUMENT No. NUMBER		DATE	NAME	CLASS	SUB CLASS
W	Al	4,318,846	03-09-1982	Khanna et al.		
Ca	A2	4,777,128	10-11-1988	LIPPA ·		
	A3	4,855,225	08-08-1989	FUNG et al.		
	A4	4,996,143	02-26-1991	HELLER et al.		
	A 5	5,118,802	06-02-1992	Sмітн et al.		
	A6	5,188,934	02-23-1993	MENCHEN et al.		
	A7	5,254,477	10-19-1993	WALT		
	A8	5,326,692	07-05-1994	Brinkley et a.l		
	A9	5,340,716	08-23-1994	ULLMAN et al.		
	A10	5,342,789	08-30-1994	CHICK et al.		
	A11	5,366,860	11-22-1994	BERGOT et al.		
	A12	5,401,847	03-28-1995	GLAZER et al.		
	A13	5,405,975	04-11-1995	Kuhn et a.l		
	A14	5,410,030	04-25-1995	YUE et al.		
	A15	5,439,797	08-08-1995	TSIEN et al.		
	A16	5,453,517	09-26-1995	KUHN et al.		
	A17	5,532,129	07-02-1996	HELLER		
	A18	5,552,540	09-03-1996	HARALAMBIDIS		
	A19	5,565,322	10-15-1996	HELLER		
	A20	5,565,554	10-15-1996	GLAZER et al.		
M	A21	5,573,909	11-12-1996	SINGER et al.		

EXAMINER INITIALS	CITE No.	DOCUMENT NUMBER	DATE	NAME .	CLASS	SUB CLASS
4	A22	5,582,977	12-10-1996	YUE et al.		
	A23	5,607,834	03-04-1997	BAGWELL		
	A24	5,646,264	07-08-1997	GLAZER et al.		
	A25	5,654,419	08-05-1997	MATHIES et al.		
	A26	5,688,648	11-18-1997	MATHIES et al.		/
	A27	5,707,804	01-13-1998	MATHIES et al.		
	A28	5,728,528	03-17-1998	MATHIES et al.		
	A29	5,741,657	04-41-1998	TSEIN et al.		
	A30	5,760,201	06-02-1998	GLAZER et al.		
	A31	5,763,189	06-09-1998	BUECHLER et al.		
	A32	5,800,996	09-01-1998	LEE et al.		
	A33	5,824,799	10-20-1998	BUECHLER et al.		
	A34	5,843,658	12-01-1998	UCHIYAMA et al.		
	A35	5,847,162	12-08-1998	LEE et al.		7
	A36	5,851,778	12-22-1998	Он et al.		
	A37	5,853,992	12-29-1998	GLAZER et al.		
	A38	5,869,255	02-09-1999	MATHIES et al.		
	A39	5,945,283	08-31-1999	KWOK et al.		
	A40	5,981,200	11-09-1999	TSIEN et al.		
	A41	6,008,373	12-28-1999	WAGGONER et al.		
	A42	6,028,190	02-20-2000	MATHIES et al.		
	A43	6,048,982	04-11-2000	WAGGONER		
	A44	6,291,162	09-18-2001	TSIEN et al.		
	A45	6,358,684	03-19-2002	LEE et al.		
NL	A46	6,472,205	10-29-02	TSIEN et al.	7	1
V						

FOREIGN PATENT DOCUMENTS							
EXAMINER INITIALS	CITE No.	PUBLICATION NUMBER	DATE	NAME	COUNTRY	CLASSIFICATIO N	
	BI	CH 12433/70	02-15-1973	HOECHST AG			
	B2	DE 108347	11-29-1898				
	В3	DE 2049503	04-22-1971	FUIL PHOTO FILM CO.,			
	В4	DE 2049527	04-22-1971	FUJI PHOTO FILM CO., LTD.			
-	B5	DE 3425631	01-16-1986	Basf Ag			
	В6	DE 45263	11-13-1887				
	Bar	DE 47451	11-13-1887				
7/	B8	EP 0 201 751 A2	11-20-1986	ABBOTT LAB			
	-B9 .	EP 0 201 751 A2	11-20-1986	Duphaole			
M	B10	EP 0 229 943 A2	07-29-1987				
	B11	EP 0 252 683	01-13-1988	Du Pont			
	B12	EP 0 299 943 A2	07-29-1987	MOLECULAR BIOSYSTEMS, INC.			
M	B13	EP 0 601 889 A2	06-15-1994	Maine Medical Center Res			
M	B14	EP 0 747 700 A2	12-11-1996	University Carnegie Mellon			
M	B15	EP 0 967 219 A1	12-29-1999	THE INSTITUTE OF PHYSICAL & CHEMICAL RESEARCH			
M	B16	GB 2 301 833	12-18-1996	CARNEGIE MELLON UNIVERSITY			
M	B17	JP 0410735A	04-09-1992	KAO CORP.			
M	B18	JP 5-60698	03-12-1993				
•	₹B19	JP 04107559A	-09-04-1992	KAO CORP.			
M	B20	WO 89/03041 A2	04-06-1989	BECKMAN INSTRUMENTS, INC.			
14	B21	WO 91/03476	03-21-1991	APPLIED BIOSYSTEMS, INC.			
Ü	B22	WO 91/05060	04-18-1991	APPLIED BIOSYSTEMS, INC.			
	- B23 -	WO 91/07507	05-30-1991	APPLIED BIOSYSTEMS, -INC.			
M	B24	WO 92/00388	01-09-1992	University of California			
U	B25	WO 93/0648204	04-01-1993	MOLECULAR PROBES, INC.	K		
W	B26	WO 93/09128	05-13-1993	NANOTRONICS, INC.	7		

EXAMINER INITIALS	CITE No.	PUBLICATION NUMBER	DATE	NAME	COUNTRY	CLASSIFICATIO N
m	B27	WO 93/13224	07-08-1993	CHIRON CORP.	(>
U	B28	WO 93/23492	11-25-1993	MOLECULAR PROBES, INC.		
	-B29-	WO 94/05688	03-17-1994	APPLIED BIOSYSTEMS, INC.		
14	B30	WO 94/17397	08-04-1994	University of California		
Q4	B31	WO 94/28166	12-08-1994	ZENECA LTD.		
m	B32	WO 95/21266	08-10-1995	University of California		
NA	В33	WO 96/04405	02-15-1996	University of California		
H	B34	WO 96/30540	10-03-1996	University of California		
1/4	B35	WO 96/41166	12-19-1996	University of California		
W	B36	WO 97/11084	03-27-1997	University of California		
M	В37	WO 99/02544	01-21-1999	THE INSTITUTE OF PHYSICAL & CHEMICAL RESEARCH		

NON-PATENT DOCUMENTS

EXAMINER	CITE	INCLUDE AS APPLICABLE: AUTHOR, TITLE DATE, PUBLISHER, EDITION OR VOLUME, PERTINENT PAGES)
INITIALS	No.	INCLUDE AS AT EICABEL. NOTTION, THEE DATE, TO DESCRIBE, DETRON ON VOLUME, TEXT TAXABLE
14	01	ABDEL-MOTTALEB, M.S.A., et al., "Photophysics and dynamics of cournarin laser dyes and their analytical
[(A)	C1	implications," ProcIndian Acad. Scie. Chem. Sci., 1992, 104: 185-196
(N		ANTON, J.A., et al., "Transfer of Excitation Energy Between Porphyrin Centers of a Covalently-Linked Dimer,"
//A.	C2	Photochemistry and Photobiology, 1978, 28: 235-242
7.		ASSELINE, U., et al., "Oligonucleotides Covalently Linked to Intercalating Dyes as Base Sequence-Specific Ligands:
\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	C3	Influence of Dye Attachment Site," EMBO Journal, 1984, 3: 795-800.
		BENSON, S., et al., "Fluorescence Energy-Transfer Cyanine Heterodimers with High Affinity for Double-Stranded DNA-1.
[/ /k /	C4	Synthesis and Spectroscopic Properties," Analytical Biochemistry, June 1995, pp. 247-255.
100		Synthesis and Spectroscopic Properties, Analytical Brokenstry, due 1993, pp. 247-253.
1/1/1	C5	BENSON, S.C., et al., "Heterodimeric DNA-binding dyes designed for energy transfer: stability and applications of the
		DNA complexes," Nucleic Acid Research, November 1993, 21: 5720-5726.
Mari	C6	BENSON, S.C., et al., "Heterodimeric DNA-binding dyes designed for energy transfer: synthesis and spectroscopic
100	-	properties," Nucleic Acids Research, November 1993, 21: 5727-5735.
M/	C7	BERGSTROM, D., et al., "C-5 substituted Nucleoside Analogs," SYNLETT, 1992, 3: 179-188.
77,	- 60	BOTHNER, A.A., et al., "Molecular Dynamics of covalently linked multi-porphyrin arrays," J. Phys. Chem., 1996, 100:
(UI)	C8	17551-17557.
1		BRUMBAUGH, J., et al., "Continuous On-Line DNA Sequencing Using Oligonucleotide Primers with Multiple
[A	C9	Fluorophores," Proc. Natl. Acad. Sci. USA, 1988, 85: 5610-5614.
	C10	CARDULLO, R.A., et al., "Detection of nucleic acid hybridization by nonradiative fluorescence resonance energy transfer,"
M		Proc. Natl. Acad. Sci. USA, December 1988, 85(23): 8790-8794.
		CHIU, H.C., et al., "Electronic energy transfer between tyrosine and tryptophan in the peptides Tyr-(Pro)n-Tyr,"
N	C11	Biopolymers, 1977, 16: 277.
		
m	C12	CLEGG, R.M., "Fluorescence resonance energy transfer and nucleic acids," Method Enzymol, 1992, 211: 353-388.
	C13	CONRAD, R.H., et al., "Intramolecular transfer of excitation from tryptophan to 1-dimethylaminonapthalene-5-sulfonamide
1/1	CIS	in a series of model compounds," Biochemistry, 1968, 7: 777.
1	C14	COOPER, J., et al., "Analysis of Fluorescence Energy Transfer in Duplex and Branched DNA Molecules," Biochemistry,
1/4	C14	1990, 29(39): 9261-9268.
n	016	DELANEY, J.K., et al., "Electron tunneling in a cofacial zinc porphyrin-quinone cage molecule: Novel Temperature and
1/1/1	C15	solvent dependent," J. Am. Chem. Soc., 1990, 112(3): 957-963.
1/2	-	DIRKS, G., et al., "Light absorption and energy transfer in polyene-porphyrin esters," Photochemistry and Photobiology,
1/4	C16	1980, 32: 277-280.
06		DRAKE, J.M., et al., "Chemical and Biological Microstructures as Probed by Dynamic Processes," Science, March 1991,
[[M	C17	251: 1574-1579.

h	C18	EFFENBERGER, F., et al., "Synthesis and optical properties of terminally substituted conjugated polyenes," Agnew. Chem. Int. Ed. Engl., 1988, 27(2): 281-284.	
m	C19	FLORKIN, M., et al., "Mechanism of energy transfer," Comprehensive Biochemistry, 1967, 22: 61.	
MA	C20	FORSTER, T., "Intermolecular Energy Migration and fluorescence," Ann. Physik (Leipzig), 1948, 2: 55.	
m	C21	GUST, D., et al., "A synthetic system mimicking the energy transfer and charge separation of natural photosynthesis,"	li I
1	C22	Journal of Photochemistry, 1985, 27(2): 281-284. HA, T., et al., "Probing the Interaction between two single molecules: Fluorescence resonance energy transfer between a	
(N		single donor and a single acceptor," <i>Biophysics</i> , June 1996, 93: 6264-6268. HARALAMBIDIS, J., et al., "Preparation of base-modified nucleosides suitable for non-radioactive label attachment and	
1/4	C23	their incorporation into synthetic oligodeoxyribonucleotides," Nucleic Acids Research, 1987, 15(12): 4857-4876. HASS, E., et al., "Distribution of end to end Distances in oligopeptides in solution as estimated by energy transfer", Proc.	l
m	C24	Natl. Acad. Sci. USA, 1975, 72: 1807.	
A	C25	HAUGLAND, R.P., "Fluorescence-Detected DNA Sequencing – Final Technical Report," Grant No. DE-FG06-88ER60684, September 1990, 15 pages.	
IN	C26	HAUGLAND, R.P., "Fluorescent Labels," Biosense. Fiberopt., 1991, 85-110.	
/A	C27	HAUGLAND, R.P., "Synthesis and applications of fluorescent probes," Small Business Innovative Research Program, Phase II Grant Application, 1988.	
on	C28	HAUGLAND, R.P., "Synthesis and Biomedical Applications of Fluorescent Probes," Small Business Innovative Research Program, Phase I Grant Application, December 1985.	
n	C29	HAUGLAND, R.P., et al., "Dependence of the Kinetics of singlet-singlet energy transfer on spectral overlap," Proc. Natl.	
177	C30	HAUGLAND, R.P., et al., "New Dyes for DNA Sequencing," (Progress Report). No Date or publicate	on journal
M	C31	HELLER, M.J., et al., "Fluorescent energy transfer oligonucleotide probes," Federation Proceedings, 1987, 46(6) Abstract 248.	0 333
	C32	HIROAKI, O., et al., "Fluorescence energy transfer between specific-labeled sites on DNA," 1992, pp. 67-68.	
m	C33	HIROAKI, O., et al., "The Estimation of Distances Between Specific Backbone-Labeled Sites in DNA using Fluorescence	
	C34	Resonance Energy Transfer," Nucleic Acids Research, September 1992, pp. 5205-5214. HIRZEL, T.K., "Singlet excitation transfer between terminal chromophores in 1,4-disubstituted bicyclo (2.2.2.) octanes and	
m		4,4'-disubstituted -1,1'dibicyclo (2.2.2) octyls", Ph.D. Dissertation 1980, University of Wisconsin-Madison. HSIAO, J.S., et al., "Soluble synthetic multiporphyrin arrays. Photodynamics of energy-transfer processes," J. Am. Chem.	
- Pa	C35	Soc. 1996, 118(45): 11181-11193. HUNG, S., et al., "Cyanine Dyes with High Absorption Cross Section as Donor Chromophores in Energy Transfer	
R	C36	Primers," Anal. Biochem., 1996, 243: 15-27.	
	_ C37 =	HUNG, S.C., et al., "Gyanine Dyes With High Absorption Cross Section as Donor Chromophores in Energy Transfer- Primers," Anal. Biochem., 1996, 243: 15-27.	
m	C38	HUNG, S.C., et al., "Energy Transfer Primers with 5- or 6-carboxyrhodamine-6G a acceptor chromophores," Anal. Biochem., 1996, 238:165-170.	
OA.	C39	HWANG, K.C., et al., "Synthesis of Amphipathic porphyrings and their photoinduced electron transfer reactions at the lipid bilayer-water interface," Photochemistry and Photobiology, 1994, 59: 145-151.	
1	C40	JU, J., et al., "Cassette Labeling for facile construction of energy transfer fluorescent primers," Nucleic Acid Res., 1996, 24:	
M	ļ <u>.</u>	1144-1148.	
///	C41	JU, J., et al., "Design and synthesis of fluorescence energy transfer dye-labeled primers and their application for DNA	
		JU, J., et al., "Design and synthesis of fluorescence energy transfer dye-labeled primers and their application for DNA sequencing and analysis," Anal. Biochem., October 10, 1995, 231(1): 131-140.	
m	C42	sequencing and analysis," Anal. Biochem., October 10, 1995, 231(1): 131-140. JU, J., et al., "Fluorescence energy transfer dye-labeled primers for DNA sequencing and analysis," University of California Berkeley, January 1995, pp. 4347-4350.	
M M M M	C42 C43	sequencing and analysis," Anal. Biochem., October 10, 1995, 231(1): 131-140. JU, J., et al., "Fluorescence energy transfer dye-labeled primers for DNA sequencing and analysis," University of California Berkeley, January 1995, pp. 4347-4350. KANG, H-C, et al., "New Dyes for DNA sequencing," Human Genome 1989-90, Program report (U.S. Department of Energy, Office of Energy).	
M		sequencing and analysis," Anal. Biochem., October 10, 1995, 231(1): 131-140. JU, J., et al., "Fluorescence energy transfer dye-labeled primers for DNA sequencing and analysis," University of California Berkeley, January 1995, pp. 4347-4350. KANG, H-C, et al., "New Dyes for DNA sequencing," Human Genome 1989-90, Program report (U.S. Department of	
M	C43	sequencing and analysis," Anal. Biochem., October 10, 1995, 231(1): 131-140. JU, J., et al., "Fluorescence energy transfer dye-labeled primers for DNA sequencing and analysis," University of California Berkeley, January 1995, pp. 4347-4350. KANG, H-C, et al., "New Dyes for DNA sequencing," Human Genome 1989-90, Program report (U.S. Department of Energy, Office of Energy). KATZ, H.E., et al., "4-Piperidinylimino: A Nearly Linear Head-to-Tail linking Group for Dipolar Chromophores," Journal of Organic Chemistry, 1991, 56: 2282-2284. LAMOLA, A.A., et al., "Intramolecular energy transfer between nonconjugated chromophores in some model compounds,"	
M	C43	sequencing and analysis," Anal. Biochem., October 10, 1995, 231(1): 131-140. JU, J., et al., "Fluorescence energy transfer dye-labeled primers for DNA sequencing and analysis," University of California Berkeley, January 1995, pp. 4347-4350. KANG, H-C, et al., "New Dyes for DNA sequencing," Human Genome 1989-90, Program report (U.S. Department of Energy, Office of Energy). KATZ, H.E., et al., "4-Piperidinylimino: A Nearly Linear Head-to-Tail linking Group for Dipolar Chromophores," Journal of Organic Chemistry, 1991, 56: 2282-2284. LAMOLA, A.A., et al., "Intramolecular energy transfer between nonconjugated chromophores in some model compounds," J. Am. Chem. Soc., 1965, 37:2322. LATT, S.A., et al., "Energy transfer. A systems with relatively fixed donor-acceptor separation," J. Am. Chem. Soc., 1965,	
M M M	C43 C44 C45 C46	sequencing and analysis," Anal. Biochem., October 10, 1995, 231(1): 131-140. JU, J., et al., "Fluorescence energy transfer dye-labeled primers for DNA sequencing and analysis," University of California Berkeley, January 1995, pp. 4347-4350. KANG, H-C, et al., "New Dyes for DNA sequencing," Human Genome 1989-90, Program report (U.S. Department of Energy, Office of Energy). KATZ, H.E., et al., "4-Piperidinylimino: A Nearly Linear Head-to-Tail linking Group for Dipolar Chromophores," Journal of Organic Chemistry, 1991, 56: 2282-2284. LAMOLA, A.A., et al., "Intramolecular energy transfer between nonconjugated chromophores in some model compounds," J. Am. Chem. Soc., 1965, 37:2322. LATT, S.A., et al., "Energy transfer. A systems with relatively fixed donor-acceptor separation," J. Am. Chem. Soc., 1965, 87: 995-1003. LEE, L.G., et al., "Allelic discrimination by nick-translation PCR with fluorogenic probes," Nucleic Acids Res., August 11,	
M	C43 C44 C45	sequencing and analysis," Anal. Biochem., October 10, 1995, 231(1): 131-140. JU, J., et al., "Fluorescence energy transfer dye-labeled primers for DNA sequencing and analysis," University of California Berkeley, January 1995, pp. 4347-4350. KANG, H-C, et al., "New Dyes for DNA sequencing," Human Genome 1989-90, Program report (U.S. Department of Energy, Office of Energy). KATZ, H.E., et al., "4-Piperidinylimino: A Nearly Linear Head-to-Tail linking Group for Dipolar Chromophores," Journal of Organic Chemistry, 1991, 56: 2282-2284. LAMOLA, A., et al., "Internal ecular energy transfer between nonconjugated chromophores in some model compounds," J. Am. Chem. Soc., 1965, 37:2322. LATT, S.A., et al., "Energy transfer. A systems with relatively fixed donor-acceptor separation," J. Am. Chem. Soc., 1965, 87: 995-1003. LEE, L.G., et al., "Allelic discrimination by nick-translation PCR with fluorogenic probes," Nucleic Acids Res., August 11, 1993, 21(16): 3761-3766.	
M M M	C43 C44 C45 C46	sequencing and analysis," Anal. Biochem., October 10, 1995, 231(1): 131-140. JU, J., et al., "Fluorescence energy transfer dye-labeled primers for DNA sequencing and analysis," University of California Berkeley, January 1995, pp. 4347-4350. KANG, H-C, et al., "New Dyes for DNA sequencing," Human Genome 1989-90, Program report (U.S. Department of Energy, Office of Energy). KATZ, H.E., et al., "4-Piperidinylimino: A Nearly Linear Head-to-Tail linking Group for Dipolar Chromophores," Journal of Organic Chemistry, 1991, 56: 2282-2284. LAMOLA, A.A., et al., "Intramolecular energy transfer between nonconjugated chromophores in some model compounds," J. Am. Chem. Soc., 1965, 37:2322. LATT, S.A., et al., "Energy transfer. A systems with relatively fixed donor-acceptor separation," J. Am. Chem. Soc., 1965, 87: 995-1003. LEE, L.G., et al., "Allelic discrimination by nick-translation PCR with fluorogenic probes," Nucleic Acids Res., August 11, 1993, 21(16): 3761-3766. LEE, L.G., et al., "DNA sequencing with dye-labeled terminators and T7 DNA polymerase: effect of dyes and dNTPs on incorporation od dye -terminators and probability analysis of termination fragments," Nucleic Acids Res., 1992, 20(10):	
M M M M	C43 C44 C45 C46 C47	sequencing and analysis," Anal. Biochem., October 10, 1995, 231(1): 131-140. JU, J., et al., "Fluorescence energy transfer dye-labeled primers for DNA sequencing and analysis," University of California Berkeley, January 1995, pp. 4347-4350. KANG, H-C, et al., "New Dyes for DNA sequencing," Human Genome 1989-90, Program report (U.S. Department of Energy, Office of Energy). KATZ, H.E., et al., "4-Piperidinylimino: A Nearly Linear Head-to-Tail linking Group for Dipolar Chromophores," Journal of Organic Chemistry, 1991, 56: 2282-2284. LAMOLA, A.A., et al., "Intramolecular energy transfer between nonconjugated chromophores in some model compounds," J. Am. Chem. Soc., 1965, 37:2322. LATT, S.A., et al., "Energy transfer. A systems with relatively fixed donor-acceptor separation," J. Am. Chem. Soc., 1965, 87: 995-1003. LEE, L.G., et al., "Allelic discrimination by nick-translation PCR with fluorogenic probes," Nucleic Acids Res., August 11, 1993, 21(16): 3761-3766. LEE, L.G., et al., "DNA sequencing with dye-labeled terminators and T7 DNA polymerase: effect of dyes and dNTPs on incorporation od dye -terminators and probability analysis of termination fragments," Nucleic Acids Res., 1992, 20(10): 2471-2483. LERHO, M.J., "Diffusion-enhanced fluorescence energy transfer (DEFET): Application to the study of ligands-DNA and	
M M M M	C43 C44 C45 C46 C47 C48	sequencing and analysis," Anal. Biochem., October 10, 1995, 231(1): 131-140. JU, J., et al., "Fluorescence energy transfer dye-labeled primers for DNA sequencing and analysis," University of California Berkeley, January 1995, pp. 4347-4350. KANG, H-C, et al., "New Dyes for DNA sequencing," Human Genome 1989-90, Program report (U.S. Department of Energy, Office of Energy). KATZ, H.E., et al., "4-Piperidinylimino: A Nearly Linear Head-to-Tail linking Group for Dipolar Chromophores," Journal of Organic Chemistry, 1991, 56: 2282-2284. LAMOLA, A.A., et al., "Intramolecular energy transfer between nonconjugated chromophores in some model compounds," J. Am. Chem. Soc., 1965, 37:2322. LATT, S.A., et al., "Energy transfer. A systems with relatively fixed donor-acceptor separation," J. Am. Chem. Soc., 1965, 87: 995-1003. LEE, L.G., et al., "Allelic discrimination by nick-translation PCR with fluorogenic probes," Nucleic Acids Res., August 11, 1993, 21(16): 3761-3766. LEE, L.G., et al., "DNA sequencing with dye-labeled terminators and T7 DNA polymerase: effect of dyes and dNTPs on incorporation od dye -terminators and probability analysis of termination fragments," Nucleic Acids Res., 1992, 20(10): 2471-2483. LERHO, M.J., "Diffusion-enhanced fluorescence energy transfer (DEFET): Application to the study of ligands-DNA and chromatin interaction," Ph.D Dissertation 1991, University of Belgium. LINDSEY, J.S., et al., "Excited-state porphyrin-quinone interactions at 10-A separation," J. Am. Chem. Soc., 1982, 104(16):	
M M M M	C43 C44 C45 C46 C47 C48 C49 C50	sequencing and analysis," Anal. Biochem., October 10, 1995, 231(1): 131-140. JU, J., et al., "Fluorescence energy transfer dye-labeled primers for DNA sequencing and analysis," University of California Berkeley, January 1995, pp. 4347-4350. KANG, H-C, et al., "New Dyes for DNA sequencing," Human Genome 1989-90, Program report (U.S. Department of Energy, Office of Energy). KATZ, H.E., et al., "4-Piperidinylimino: A Nearly Linear Head-to-Tail linking Group for Dipolar Chromophores," Journal of Organic Chemistry, 1991, 56: 2282-2284. LAMOLA, A.A., et al., "Intramolecular energy transfer between nonconjugated chromophores in some model compounds," J. Am. Chem. Soc., 1965, 37:2322. LATT, S.A., et al., "Energy transfer. A systems with relatively fixed donor-acceptor separation," J. Am. Chem. Soc., 1965, 87: 995-1003. LEE, L.G., et al., "Allelic discrimination by nick-translation PCR with fluorogenic probes," Nucleic Acids Res., August 11, 1993, 21(16): 3761-3766. LEE, L.G., et al., "DNA sequencing with dye-labeled terminators and T7 DNA polymerase: effect of dyes and dNTPs on incorporation od dye -terminators and probability analysis of termination fragments," Nucleic Acids Res., 1992, 20(10): 2471-2483. LERHO, M.J., "Diffusion-enhanced fluorescence energy transfer (DEFET): Application to the study of ligands-DNA and chromatin interaction," Ph.D Dissertation 1991, University of Belgium.	
M M M M M M	C43 C44 C45 C46 C47 C48 C49 C50	sequencing and analysis," Anal. Biochem., October 10, 1995, 231(1): 131-140. JU, J., et al., "Fluorescence energy transfer dye-labeled primers for DNA sequencing and analysis," University of California Berkeley, January 1995, pp. 4347-4350. KANG, H-C, et al., "New Dyes for DNA sequencing," Human Genome 1989-90, Program report (U.S. Department of Energy, Office of Energy). KATZ, H.E., et al., "4-Piperidinylimino: A Nearly Linear Head-to-Tail linking Group for Dipolar Chromophores," Journal of Organic Chemistry, 1991, 56: 2282-2284. LAMOLA, A.A., et al., "Intramolecular energy transfer between nonconjugated chromophores in some model compounds," J. Am. Chem. Soc., 1965, 37:2322. LATT, S.A., et al., "Energy transfer. A systems with relatively fixed donor-acceptor separation," J. Am. Chem. Soc., 1965, 87: 995-1003. LEE, L.G., et al., "Allelic discrimination by nick-translation PCR with fluorogenic probes," Nucleic Acids Res., August 11, 1993, 21(16): 3761-3766. LEE, L.G., et al., "DNA sequencing with dye-labeled terminators and T7 DNA polymerase: effect of dyes and dNTPs on incorporation od dye -terminators and probability analysis of termination fragments," Nucleic Acids Res., 1992, 20(10): 2471-2483. LERHO, M.J., "Diffusion-enhanced fluorescence energy transfer (DEFET): Application to the study of ligands-DNA and chromatin interaction," Ph.D Dissertation 1991, University of Belgium. LINDSEY, J.S., et al., "Excited-state porphyrin-quinone interactions at 10-A separation," J. Am. Chem. Soc., 1982, 104(16): 4498-4500. LINDSEY, J.S., et al., "Photophysics of a cofacial porphyrin-quinone cage molecule and related compounds: Fluorescence properties, flash transients, and electron-transfer reactions," J. Am. Chem. Soc., 1988, 110(11): 3610-3621.	
Man	C43 C44 C45 C46 C47 C48 C49 C50	sequencing and analysis," Anal. Biochem., October 10, 1995, 231(1): 131-140. JU, J., et al., "Fluorescence energy transfer dye-labeled primers for DNA sequencing and analysis," University of California Berkeley, January 1995, pp. 4347-4350. KANG, H-C, et al., "New Dyes for DNA sequencing," Human Genome 1989-90, Program report (U.S. Department of Energy, Office of Energy). KATZ, H.E., et al., "4-Piperidinylimino: A Nearly Linear Head-to-Tail linking Group for Dipolar Chromophores," Journal of Organic Chemistry, 1991, 56: 2282-2284. LAMOLA, A.A., et al., "Intramolecular energy transfer between nonconjugated chromophores in some model compounds," J. Am. Chem. Soc., 1965, 37:2322. LATT, S.A., et al., "Energy transfer. A systems with relatively fixed donor-acceptor separation," J. Am. Chem. Soc., 1965, 87: 995-1003. LEE, L.G., et al., "Allelic discrimination by nick-translation PCR with fluorogenic probes," Nucleic Acids Res., August 11, 1993, 21(16): 3761-3766. LEE, L.G., et al., "DNA sequencing with dye-labeled terminators and T7 DNA polymerase: effect of dyes and dNTPs on incorporation od dye –terminators and probability analysis of termination fragments," Nucleic Acids Res., 1992, 20(10): 2471-2483. LERHO, M.J., "Diffusion-enhanced fluorescence energy transfer (DEFET): Application to the study of ligands-DNA and chromatin interaction," Ph.D Dissertation 1991, University of Belgium. LINDSEY, J.S., et al., "Excited-state porphyrin-quinone interactions at 10-A separation," J. Am. Chem. Soc., 1982, 104(16): 4498-4500. LINDSEY, J.S., et al., "Photophysics of a cofacial porphyrin-quinone cage molecule and related compounds: Fluorescence properties, flash transients, and electron-transfer reactions," J. Am. Chem. Soc., 1988, 110(11): 3610-3621. LINDSEY, J.S., et al., "Synthesis of a cofacial porphyrin-quinone via entropically favored macropolycyclization," J. Am. Chem. Soc., August 11, 1982, 104(16): 4498-4500.	
M M M M M M	C43 C44 C45 C46 C47 C48 C49 C50	sequencing and analysis," Anal. Biochem., October 10, 1995, 231(1): 131-140. JU, J., et al., "Fluorescence energy transfer dye-labeled primers for DNA sequencing and analysis," University of California Berkeley, January 1995, pp. 4347-4350. KANG, H-C, et al., "New Dyes for DNA sequencing," Human Genome 1989-90, Program report (U.S. Department of Energy, Office of Energy). KATZ, H.E., et al., "4-Piperidinylimino: A Nearly Linear Head-to-Tail linking Group for Dipolar Chromophores," Journal of Organic Chemistry, 1991, 56: 2282-2284. LAMOLA, A.A., et al., "Intramolecular energy transfer between nonconjugated chromophores in some model compounds," J. Am. Chem. Soc., 1965, 37:2322. LATT, S.A., et al., "Energy transfer. A systems with relatively fixed donor-acceptor separation," J. Am. Chem. Soc., 1965, 87: 995-1003. LEE, L.G., et al., "Allelic discrimination by nick-translation PCR with fluorogenic probes," Nucleic Acids Res., August 11, 1993, 21(16): 3761-3766. LEE, L.G., et al., "DNA sequencing with dye-labeled terminators and T7 DNA polymerase: effect of dyes and dNTPs on incorporation od dye -terminators and probability analysis of termination fragments," Nucleic Acids Res., 1992, 20(10): 2471-2483. LERHO, M.J., "Diffusion-enhanced fluorescence energy transfer (DEFET): Application to the study of ligands-DNA and chromatin interaction," Ph.D Dissertation 1991, University of Belgium. LINDSEY, J.S., et al., "Excited-state porphyrin-quinone interactions at 10-A separation," J. Am. Chem. Soc., 1982, 104(16): 4498-4500. LINDSEY, J.S., et al., "Photophysics of a cofacial porphyrin-quinone cage molecule and related compounds: Fluorescence properties, flash transients, and electron-transfer reactions," J. Am. Chem. Soc., 1988, 110(11): 3610-3621. LINDSEY, J.S., et al., "Synthesis of a cofacial porphyrin-quinone via entropically favored macropolycyclization," J. Am.	

C55 MEGRY, 1, et al., "Floorescene energy transfer as a probe for muchaic acid structures and sequences," <i>Nucleic Acids MEGRY</i> , 1, et al., "Floorescence energy transfer as a probe for muchaic acid structures and sequences," <i>Nucleic Acids MEGRY</i> , 1, et al., "Floorescence energy transfer of depth of the disgonucleotides," <i>Proc. Spie-Int. Soc. Opt. Engl.</i> , 1992, 1665-97. MILLAR, Dp., et al., "Excitered state quenching of dye-inked oligenucleotides," <i>Proc. Spie-Int. Soc. Opt. Engl.</i> , 1992, 1665-97. C56 MILLAR, Dp., et al., "Excitered state quenching of dye-inked oligenucleotides," <i>Proc. Spie-Int. Soc. Opt. Engl.</i> , 1992, 1665-97. C57 MOSRE, A.L., et al., "Effective of the management of the development of the Bridge Configuration on Probindured Charge Separation in Rigidy Linked Denor-Acceptor Systems." Chemistry, 1993, 4: 103-56-32. MC66 INDICATE OF THE DEVELOPMENT OF TH			LIVAK, K.J. et al., "Oligonucleotides with fluorescent dyes at opposite ends provide a quenched probe system useful for
MILLAR, D. P., et al., "Excited state quenching of dye-linked oligonucteotides," <i>Proc. Spie-Int. Soc. Opt. Engl.</i> , 1992, 1066, 992-988. MILLAR, D. P., et al., "Excited state quenching of dye-linked oligonucteotides," <i>Proc. Spie-Int. Soc. Opt. Engl.</i> , 1992, 1994, 5-suprit ed., Multicated (1992). Millar, D. P., et al., "Energy transfer from carontened polyenes to porphyrine: A light harvesting antenna," <i>Proc. Spie-Int. Soc. Opt. Engl.</i> , 1992, 22-61-625. MOORE, A.L., et al., "Energy transfer from carontened polyenes to porphyrine: A light harvesting antenna," <i>Proc. Spie. Sci.</i> , 1993, 41-103. C59 MULNIER, J., et al., "Flate of intramolecular energy transfer in courants bichromophoric molecules," <i>J. Luniin.</i> , 1983, 41-213. MUNIER, J., et al., "Cyanine Dye Labeling Reagens: Sulforindocyanine Succinimidy! Esters," <i>Bioconjugate Chemistry</i> , 1993, 41-105-111. MURNIER, J., et al., "Cyanine-labeling reagents: Sulforindocyanine Succinimidy! Esters," <i>Bioconjugate Chemistry</i> , 1993, 41-95, 19-95,	m	C54	detecting PCR product and nucleic acid hybridization," PCR Method Appl., June 1995, 4(6): 357-362.
C50 1665, 992-998.	M	, C55	
CS8 MOGNE, A.L., et al., "Energy transfer from carontenoid polyenes to porphyrine: A light harvesting antenna," Photochemistry and Photochology, 1900, 32: 691-695. MUGNIES, J. et al., "Entency of intramolecular electronic energy transfer in cournarin bichromophoric molecules," J. Lumin., 1885, 33: 273. C60 MUGNIES, J. et al., "Rate of intramolecular electronic energy transfer in cournarin bichromophoric molecules. An investigation by multifrequency phase modulation fluorometry." Chem. Phys. Lett., 1985, 119: 217. AC61 MUJUNDAN, et al., "Cyanine-labeling reagents: Sulfobenzindocyanine Succinimally Esters," Bioconjugate Chemistry, 1993, 4: 103-111. AC62 MUJUNDAN, et al., "Cyanine-labeling reagents: Sulfobenzindocyanine Succinimally Esters," Bioconjugate Chemistry, 1993, 4: 103-111. AC63 MUJUNDAN, et al., "Syanine-labeling reagents: Sulfobenzindocyanine Succinimally Esters," Bioconjugate Chemistry, 1994, 34: 432. AC64 MUJUNDAN, et al., "Syanine-labeling reagents: Sulfobenzindocyanine Succinimally Esters," Bioconjugate Chemistry, 1904, 34: 432. AC65 MUJUNDAN, et al., "Syanine-labeling reagents: Sulfobenzindocyanine Succinimally Esters," Bioconjugate Chemistry, 1904, 34: 432. AC66 MUJUNDAN, et al., "Syanine-labeling reagents: Sulfobenzindocyanine Succinimally Esters," Bioconjugate Chemistry, 1904, 34: 432. AC67 MUJUNDAN, et al., "Syanine-labeling reagents: Sulfobenzindocyanine Succinimally Esters," Bioconjugate Chemistry, 1904, 34: 435-442. MUJUNDAN, et al., "Syanine-labeling reagents: Sulfobenzindocyanine Succinimally Esters," Bioconjugate Chemistry, 1904, 34: 434-442. MUJUNDAN, et al., "Syanine-labeling reagents: Sulfobenzindocyanine-labeling reagents in Rigidly Linked Donor-Acceptor Systems," Sulfobenzing Particular Sulfobenzing Parti	M	C56	1640: 592-598.
CSB MOORE, A.L., et al., "Energy transfer from carontenoid polymens to porphyrine: A light harvesting antenna," Photochemistry and Photochemistry of 1961-095. MUCNIER, J., et al., "Efficiency of intramolecular energy transfer in coumarin bichromophoric molecules," J. Lumin., 1863, 1372. MUCNIER, J., et al., "Rate of intramolecular energy transfer in coumarin bichromophoric molecules," J. Lumin., 1872, 1872. MUCNIER, J., et al., "Rate of intramolecular energy transfer in coumarin bichromophoric molecules. An investigation by multifrequency phase modulation fluorometry," Chem. Phys. Lett., 1985, 119; 217. MUUUNINAR, S., et al., "Cyanine-labeling reagents: Sulfondocyanine Succinimidy! Esters," Bioconflugate Chem, 1992, 1954, 1954, 11993, 4: 105-111. MUCOLIVER, A.M., et al., "Potochemistry of bichromophoric chain molecules containing electron donor and acceptor moirtee. Dependenc of reaction pathways on the nitrophenoyaltylylaminins," Chem. Phys. Lett., 1985, 121: 262-266. MUCOLIVER, A.M., et al., "Strong Effects of the Bridge Configuration on Photoinduced Charge Separation in Rugidy Linked Donor-Acceptor Systems," Chemical Physical Letters, September 1985, 19-50-657. MUCOLIVER, A.M., et al., "Strong Effects of the Bridge Configuration on Photoinduced Charge Separation in Rugidy Linked Donor-Acceptor Systems," Chemical Physical Letters, September 1985, 19-50-657. MUCOLIVER, A.M., et al., "Strong Effects of the Bridge Configuration on Photoinduced Charge Separation in Rugidy Linked Donor-Acceptor Systems," Am. Enhanced Systems, 1981, 1981, 1993, 1995, 199		_ C67 _	· · · · · · · · · · · · · · · · · · ·
UIGNIER, J., et al., "Efficiency of intramolecular energy transfer in courants bichromophoric molecules," <i>J. Lumin.</i> , 1985, 13:273. **MUGNIER, J., et al., "Rate of intramolecular electronic energy transfer in courants bichromophoric molecules. An investigation by multifrequency phase modulution fluorometry," <i>Chem. Phys. Lett.</i> , 1985, 119:217. **ACC16** **MUJUNNDAR, S.A., et al., "Cyanine-labeling reagents: Sulfobanzandocyanine Succinimidyl Esters," <i>Bioconjugate Chemistry</i> , 1994, et al., "Storine Transfer Sulfobanzandocyanine Succinimidyl Esters," <i>Bioconjugate Chem.</i> , 1996, 7:356-362. **MUJUNNDAR, S.A., et al., "Cyanine-labeling reagents: Sulfobanzandocyanine Succinimidyl Esters," <i>Bioconjugate Chem.</i> , 1996, 7:356-362. **MUJUNNDAR, S.A., et al., "Cyanine-labeling reagents: Sulfobanzandocyanine Succinimidyl Esters," <i>Bioconjugate Chem.</i> , 1996, 7:662. **MUJUNNDAR, S.A., et al., "Cyanine-labeling reagents: Sulfobanzandocyanine Succinimidyl Esters," <i>Bioconjugate Chem.</i> , 1996, 7:672. **MUJUNNDAR, S.A., et al., "Cyanine-labeling reagents: Sulfobanzandocyanine Succinimidyl Esters," <i>Bioconjugate Chem.</i> , 1995, 7:672. **MUJUNNDAR, S.A., et al., "Cyanine-labeling reagents: Sulfobanzandocyanine Succinimidyl Esters," <i>Bioconjugate Chem.</i> , 1995, 112:62-65. **MUJUNNDAR, S.A., et al., "Plate Sulfobanzandocyanine Sulfobanzandocyanine Succinimidyl Esters," <i>Bioconjugate Chem.</i> , 1995, 112:62-75. **MUSICAL Sulfobanzandocyanine Sulfobanzand	N	C58	
MUGNIER, J. et al., "Tates of intranslecular electronic energy transfer in courann bichromophoric molecules. An investigation by multifrequency phase modulation fluorometry." Chem. Phys. Lett., 1985, 119: 217. A C61 MUJURNDAR, cit al., "Cyanine Dye Labeling Reagents: Sulfoindocyanine Succinimidy! Esters," Bioconfugate Chemistry, 1993, et al., 105-111. A C62 MUJURNDAR, S.R., et al., "Vanine-labeling reagents: Sulfoindocyanine Succinimidy! Esters," Bioconfugate Chem. 1996, 17: 365-362. MUJURNDAR, S.R., et al., "Thotochemistry of bichromophoric chain molecules containing electron donor and acceptor moticies. Dependence of reaction pathways on the nitropheroxylkyllyalunine," Chem. Phys. Lett., 1985, 121: 262-266. M C64 OLIVER, A.M., et al., "Stong Effects of the Bridge Configuration on Photoinduced Charge Separation in Rigidly Linked Donor-Acceptor Systems", Chemical Physical Letters, September 1988, 150: 366-373. M C65 PRATHAPAN, S., et al., "Photophysical behavior or Poly(L-lysine) carrying Porphyrin and Naphthyl Chromophors," Biopophomer, 1994, 34: 335-442. M C66 PRATHAPAN, S., et al., "Sustem for rapid DNA sequencing with fluorescent chain-terminating didecosynucleotides," Science, 1987, 238: 238-34-42. M C67 C68 RICE, K.G., et al., "Interterminal Distance and Flexibility of a Triantennary Glycopeptide As Measured by Resonance Energy Transfer," Biochemistry 1991, 306-646-6553. M C71 SCHAEFER, F.P., et al., "Internetioeular T1-energy transfer in bifluorophoric baser dyes," Appl. Phys. B., 1982, B28(1): 37 SCHAEFER, F.P., et al., "Internetioeular T1-energy transfer bases", Recueit des Troanex Chimiques des Poys-Bas, 1991, 110 SCHAEFER, F.P., et al., "Interneticeular energy transfer between Rigidly Linked Naphalene and Antivacene Chromophores." Journal of Physical Chemistry, 1993, 97: 11871-11876. C73 SCHAEFER, F.P., et al., "Interneticeular energy transfer in anaphthalene-ambracene system," J. Am. Chem. Soc., 95. SCHAEFER, F.P., et al., "Interneticeular energy transfer in anaphthalene-ambrace		C59	MUGNIER, J., et al., "Efficiency of intramolecular energy transfer in coumarin bichromophoric molecules," J. Lumin.,
MUJURNDAR, et al., "Cyanine Dye Labeling Reagents: Sulfoindocyanine Succinimidy! Esters," Bioconfugate Chemistry, 1993, et al., "1910, it 1951. M C62 MUJURNDAR, S.R., et al., "Photochemistry of bichromophoric chain molecules containing electron donor and acceptor moieties. Dependence of reaction pathways on the nitrophenoryskylkylaulines." Chem. Phys. Lett., 1953, 121: 262-266. M C63 NAKAGAKI, R., et al., "Strong Effects of the Bridge Configuration on Photoinduced Charge Separation in Rigidly Linked Donor-Acceptor Systems," Chemical Physical Letters, September 1988, 150: 156-373. M C65 PSPISA, B., et al., "Photophysical behavior or Poly(L-lysine) carrying Porphyrin and Naphthyl Chromophors," Biophymer. 1994, 34: 435-442. M C66 PARTHAPAN, S., et al., "Building-block synthesis of porphyrin light0harvesting arrays," J. Am. Chem. Soc., 1993, 115(6): 7319-7320. M C67 PROBER, J.M., et al., "A system for rapid DNA sequencing with fluorescent chain-terminating dideoxynuclootides," States, 1987, 238: 238-341. M C68 PROBER, J.M., et al., "Design of Multiplex Dyes," Ber. Bus. Gesell. Phys. Chem., 1993, 97: 1734-1737. M C70 SCHAEFER, P.P., chem. Phys. Lett., 1978, 56: 455. M C71 SCHAEFER, P.P., chem. Phys. Lett., 1978, 56: 455. M C71 SCHAEFER, P.P., cha., "Intermolecular Ti-energy transfer in bifluorophoric laser dyes," Appl. Phys. B., 1982, B28(1): 37-12. M C73 SCHAEFER, P.P., ct.al., "Intermolecular Ti-energy transfer in anaphtbalene and vanishing des Pays-Bas., 1991, 110-95-96. SCHOEES, G.D., et al., "Intramolecular energy transfer in anaphtbalene andbraene system," J. Am. Chem. Soc., 1962, 84: 172. M C73 SCHAEFER, P.P., et al., "Intramolecular energy transfer in anaphtbalene andbraene system," J. Am. Chem. Soc., 1962, 84: 172. M C74 SCHOEES, G.D., et al., "Intramolecular energy transfer in anaphtbalene andbraene system," J. Am. Chem. Soc., 1962, 1994, 110(2): 10.578-10522. M C75 SELVIN, P.R., "Bluorsecence Resonance Energy Transfer States", Recueil des Travaux Chimiques des Pays-Bas., 1991, 110-95-96. C7	n	C60	MUGNIER, J., et al., "Rate of intramolecular electronic energy transfer in coumarin bichromophoric molecules. An
MUJURNDAR, S.R., et al., "Cyanine-labeling reagents: Sulfobenzindocyanine Succinimidyl Esters," Bioconjugate Chem. 1996, 7: 365-362. M. C63 MAKAGAKI, R. et al., "Thotochemistry of bichromophoric chain molecules containing electron donor and acceptor moticites. Dependence of reaction pathways on the nitrophorosylkyllyallunine," Chem. Phys. Lett., 1985, 121: 262-266. M. C64 DANACAGAKI, R. et al., "Strong Effects of the Bridge Configuration on Photoinduced Charge Separation in Rigidly Linked Donor-Acceptor Systems," Chemical Physical Letters, Separation 1988, 150: 366-373. M. C65 PRATHAPAN, S., et al., "Building-block synthesis of porphyrin lightOharvesting arrays," J. Am. Chem. Soc., 1993, 115(6): 7519-7320. M. C67 PROBER, J.M., et al., "A system for rapid DNA sequencing with fluorescent chain-terminating dideoxynucleotides," Science, 1987, 238: 238-341. KICE, K.G., et al., "Interreminal Distance and Flexibility of a Triantennary Glycopeptide As Measured by Resonance Drugy Transfer," Biochemistry 1991, 30:664-6655. M. C69 SAUER, M., et al., "Electromital Distance and Flexibility of a Triantennary Glycopeptide As Measured by Resonance Drugy Transfer," Biochemistry 1991, 30:664-6655. M. C70 SCHAEFER, F.P., Chem. Phys. Lett., 1978, 56: 455. M. C71 SCHAEFER, F.P., chem. Phys. Lett., 1978, 56: 455. M. C71 SCHAEFER, F.P., et al., "Intermolecular TTI-energy transfer in bifluorophoric laster dyes," Appl. Phys. B., 1982, B28(1): 37 41. C72 SCHAEFER, F.P., et al., "Intermolecular Trienergy transfer in anaphtbalene-anthracene system," J. Am. Chem. Soc., 1962, 84: 172. M. C73 SCHAEFER, P.P., et al., "Intramolecular energy transfer in anaphtbalene-anthracene system," J. Am. Chem. Soc., 1962, 84: 172. M. C74 SCHOEES, G.D., et al., "Intramolecular Electronic Energy Transfer between Rigidly Linked Napthalene and Anthracene Chromophores," Journal of Physical Chem. 1971, 1993, 79: 118171-11876. SELVIN, P.R., "Eliuorscence Resonance Energy Transfer," Methods in Engmodogy, 1993, 246: 300-335. M. C76 SELVIN	(In)	C61	MUJURNDAR, et al., "Cyanine Dye Labeling Reagents: Sulfoindocyanine Succinimidyl Esters," Bioconjugate Chemistry,
MAKAGAKI, R., et al., "Photochemistry of bichromoptoric chain molecules containing electron donor and acceptor mointees. Dependence of reaction pathways on the nitrophomoxylaklylamilines," Chem. Phys. Lett., 1985, 121: 262-266. C64 OLIVER, A.M., et al., "Strong Effects of the Bridge Configuration on Photoinduced Charge Separation in Rigidly Linked Donor-Acceptor Systems," Chemical Physical Letters, September 1988, 150: 366-373. PSISISA, B., et al., "Photophysical behavior or Poly(L-lysine) carrying Porphyrin and Naphthyl Chromophors," Biopolymers, 1994, 34: 435-442. AC66 PRATHAPAN, S., et al., "Building-block synthesis of porphyrin light0harvesting arrays," J. Am. Chem. Soc., 1993, 115(6): 7519-7520. C67 PROBER, J.M., et al., "A system for rapid DNA sequencing with fluorescent chain-terminating dideoxynucleotides," Science, 1987, 238: 238-341. C68 RICLE, K.G., et al., "Interminal Distance and Flexibility of a Triantennary Cilycopeptide As Measured by Resonance Energy Transfer," Biochemistry, 1991, 30:6646-6655. C70 SCHAEFER, F.P., Chem. Phys. Lett., 1978, 56: 455. C71 SCHAEFER, F.P., et al., "Comparison of Flexibly and Rigidly Bridged Donor-Acceptor Systems; Solvent Induced Switching Between Folded and Extended Emissive Charge-Transfer in billuorophoric laser dyes," Appl. Phys. B., 1982, B28(1): 37-95. C73 SCHNEPP, O., et al., "Intramolecular Electronic Energy Transfer," Recuell der Turnuuc Chiniques des Pays-Bas, 1991, 110-59-96. C74 SCHOLES, G.D., et al., "Intramolecular Electronic Energy Transfer," Reducid far Turnuuc Chiniques des Pays-Bas, 1991, 110-59-96. SETH, J., et al., "Intramolecular energy transfer in a naphthalent-anthracene system," J. Am. Chem. Soc., 1992, 34: 102-103-103-103-103-103-103-103-103-103-103	()A	C62	MUJURNDAR, S.R., et al., "Cyanine-labeling reagents: Sulfobenzindocyanine Succinimidyl Esters," Bioconjugate Chem,
C64 OLIVER, A.M., et al., "Strong Effects of the Bridge Configuration on Photoinduced Charge Separation in Rigidly Linked Donor-Acceptor Systems;" Chemical Physical Letters, Spermber 1988, 150: 366-373. (C65 PISPISA, B., et al., "Photophysical behavior or Poly(L-lysine) carrying Porphyrin and Naphthyl Chromophors," Biophysimers, 1994, 34: 325-442. (C66 PRATHAPAN, S., et al., "Building-block synthesis of porphyrin light/bharvesting arrays," J. Am. Chem. Soc., 1993, 115(6): 7519-7520. (C67 PROBER, J.M., et al., "A system for rapid DNA sequencing with fluorescent chain-terminating dideoxynucleotides," Science, 1987, 238: 238-341. (C68 RICE, R.G., et al., "Intermediate and Flexibility of a Triantennary Glycopeptide As Measured by Resonance Energy Transfer," Biochemistry, 1991, 30:6646-6655. (C69 SAUER, M., et al., "Esping of Multiples Cyse," Ber. Bus. Gesell. Phys. Chem., 1993, 97: 1734-1737. (C70 SCHAEFER, F.P., Chem. Phys. Lett., 1978, 56: 455. (C71 SCHAEFER, F.P., et al., "Intermolecular Tri-energy transfer in bifluorophoric laser dyes," Appl. Phys. B., 1982, B28(1): 374. (C72 SCHERER, T., et al., "Comparison of Flexibly and Rigidly Bridged Donor-Acceptor Systems; Solvent Induced Switching Between Folded and Extended Emissive Charge-Transfer States", Recueil des Travuuc Chiniques des Pays-Bas, 1991, 110 (C73 SCHNEPP, O., et al., "Intramolecular energy transfer in a naphthalene-anthracene system," J. Am. Chem. Soc., 1902, 84: 172. (C73 SCHOLES, G.D., et al., "Intramolecular energy transfer in a naphthalene-anthracene system," J. Am. Chem. Soc., 1904, 116(23): 10578-10592. (C75 SELVIN, P.R., "Fluorescence Resonance Energy Transfer," Methods in Enzymology, 1995, 246: 300-335. (C76 SELVIN, P.R., "Fluorescence Resonance Energy Transfer," Methods in Enzymology, 1995, 246: 300-335. (C77 SCHOLES, G.D., et al., "Intramolecular energy transfer," Methods in Enzymology, 1995, 246: 300-335. (C78 SETEN, E.R., et al., "Calassidation of Physical Chemistry, 1993, 97: 11871-11876. (C79 SELVER, R., et al., "Fluoresc	?h	C63	NAKAGAKI, R., et al., "Photochemistry of bichromophoric chain molecules containing electron donor and acceptor
RISPISA, B., et al., "Photophysical behavior or Poly(L-lysine) carrying Porphyrin and Naphthyl Chromophors." Biophymer. 1994, 34: 435-442.	m	C64	OLIVER, A.M., et al., "Strong Effects of the Bridge Configuration on Photoinduced Charge Separation in Rigidly Linked
PRATHAPAN, S., et al., "Building-block synthesis of porphyrin light0harvesting arrays," J. Am. Chem. Soc., 1993, 115(16): 7519-7520. ### C69 PROBER, J.M., et al., "A system for rapid DNA sequencing with fluorescent chain-terminating dideoxynucleotides," Science, 1987, 238: 238-341. ### C68 RICE, K.G., et al., "Interterminal Distance and Flexibility of a Triantennary Glycopeptide As Measured by Resonance Energy Transfer," Biochemistry 1991, 30:6646-66555. ### C70 SCHAEFER, M., et al., "Design of Multiplex Dyes," Ber. Bun. Gestell. Phys. Chem., 1993, 97: 1734-1737. ### C70 SCHAEFER, F.P., chem. Phys. Lett., 1978, 56: 455. ### C71 SCHAEFER, F.P., et al., "Intermolecular Trienergy transfer in bifluorophonic laser dyes," Appl. Phys. B., 1982, B28(1): 37 41. ### C71 SCHAEFER, F.P., et al., "Comparison of Flexibly and Rigidly Bridged Donor-Acceptor Systems; Solvent Induced Switching Between Folded and Extended Emissive Charge-Transfer States", Recueil des Travaux Chimiques des Pays-Bas, 1991, 110 SCHERER, T., et al., "Comparison of Flexibly and Rigidly Bridged Donor-Acceptor Systems; Solvent Induced Switching Between Folded and Extended Emissive Charge-Transfer States", Recueil des Travaux Chimiques des Pays-Bas, 1991, 107 SCHNEPP, O., et al., "Intramolecular energy transfer in a naphthalene-anthracene system," J. Am. Chem. Soc., 1962, 84: 172. ### C74 SCHOLES, G.D., et al., "Intramolecular Electronic Energy Transfer between Rigidly Linked Naphtalene and Anthracene Chromophores," Journal of Physical Chemistry, 1993, 97: 11871-11876. ### C75 SELVIN, P.R., "Fluorescence Resonance Energy Transfer," Methods in Ensymology, 1995, 246: 300-335. ### C76 SELVIN, P.R., "Fluorescence Resonance Energy Transfer," Methods in Ensymology, 1995, 246: 300-335. ### C77 SHIPCHANDLER, M.T., et al., "Methods in Ensymology, 1995, 246: 300-335. ### C78 SELVIN, P.R., "Fluorescence Resonance Energy Transfer via exchange interaction in bichromophoric molecules," Chem. Phys. Lett., 1983, 102, 88-94. ### C79 SELVIN, P.R., et al., "Cro	M	C65	PISPISA, B., et al., "Photophysical behavior or Poly(L-lysine) carrying Porphyrin and Naphthyl Chromophors,"
C67 C68 C69 C69 C69 C69 C69 C69 C69	Ma.	C66	PRATHAPAN, S., et al., "Building-block synthesis of porphyrin lightOharvesting arrays," J. Am. Chem. Soc., 1993,
C68 RICE, K.G., et al., "Interterminal Distance and Flexibility of a Triantennary Glycopeptide As Measured by Resonance Energy Transfer," Biochemistry 1991, 30:6646-6655. AC70 SCHAEFER, M., et al., "Design of Multiplex Dyes," Ber. Bun. Gesell. Phys. Chem., 1993, 97: 1734-1737. C71 AL. C70 SCHAEFER, F.P., chem. Phys. Lett., 1978, 56: 455. C71 SCHERER, T., et al., "Comparison of Flexibly and Rigidly Bridged Donor-Acceptor Systems; Solvent Induced Switching Schewen Folded and Extended Emissive Charge-Transfer States", Recueil des Travaux Chimiques des Pays-Bas, 1991, 110-95-96. C71 SCHERER, T., et al., "Intramolecular energy transfer in a naphthalene-anthracene system," J. Am. Chem. Soc., 1962, 84: 172. C72 SCHOLES, G.D., et al., "Intramolecular Electronic Energy Transfer between Rigidly Linked Naphthalene and Anthracene Chromophores," Journal of Physical Chemistry, 1993, 97: 11871-11876. C75 SELVIN, P.R., "Fluorescence Resonance Energy Transfer," Methods in Enzymology, 1995, 246: 300-335. SETH, J., et al., "Intramolecular electronic communication in multi-porphyrin light-harvesting arrays," J. Am. Chem. Soc., 1994, 116(23): 15078-10592. MC77 SHIPCHANDLER, M.T., et al., "Glaminomethylfluorescein and its N-alkyl derivatives: useful reagents in immunodiagnostic techniques," And. Biochem. April 1987, 162(3): 89-101. SPEISER, S., et al., "Intramolecular electronic energy transfer via exchange interaction in bichromophoric molecules," Chem., 1992, 38(11): 2228-2232. C80 STRYER, L., et al., "Cross-Reactivity of AntiODigoxin Antibodies with Digitoxin Depends on Tracer Structure," Clin. Chem., 1992, 38(11): 2228-2232. C81 TAMAKI, T., "Intramolecular interaction between the phenol and indole chromophore," Bull. Soc. Chem., 1993, 38(11): 2228-2232. C82 TAMKE, H., "What's new from the field: Current developments in flow cytometry and fluorescent labels," ADVERTISEMENT, Molecular Probes, Inc., 1989, pp. 63-65. TAMKE, H., "What's new from the field: Current developments in flow cytometry and fluorescent labels," A	M	C67	PROBER, J.M., et al., "A system for rapid DNA sequencing with fluorescent chain-terminating dideoxynucleotides,"
C70 SCHAEFER, F.P., ct al., "Design of Multiplex Dyes," Ber. Bun. Gesell. Phys. Chem., 1993, 97: 1734-1737. C71 SCHAEFER, F.P., ct al., "Intermolecular Tr-energy transfer in bifluorophoric laser dyes," Appl. Phys. B., 1982, B28(1): 37 41. C72 SCHAEFER, F.P., et al., "Intermolecular Tr-energy transfer in bifluorophoric laser dyes," Appl. Phys. B., 1982, B28(1): 37 41. C73 SCHERER, T., et al., "Comparison of Flexibly and Rigidly Bridged Donor-Acceptor Systems; Solvent Induced Switching Between Folded and Extended Emissive Charge-Transfer States", Recueil des Travnux Chimiques des Pays-Bas, 1991, 110 95-96. C73 SCHOLES, G.D., et al., "Intramolecular energy transfer in a naphthalene-anthracene system," J. Am. Chem. Soc., 1962, 84: 172. C74 SCHOLES, G.D., et al., "Intramolecular Electronic Energy Transfer between Rigidly Linked Naphalene and Anthracene Chromophores," Journal of Physical Chemistry, 1993, 97: 11871-11876. C75 SELVIN, P.R., "Fluorescence Resonance Energy Transfer," Methods in Enzymology, 1995, 246: 300-335. C76 SETH, J., et al., "Intramolecular Electronic communication in multi-porphyrin light-harvesting arrays," J. Am. Chem. Soc., 1994, 116(23): 10578-10592. M C77 SHIPCHANDLER, M.T., et al., "4-[Aminomethylfluorescein and its N-alkyl derivatives: useful reagents in immunodiagnostic techniques," Anal. Biochem., April 1987, 162(1): 89-101. C78 SPEISER, S., et al., "Intramolecular electronic energy transfer via exchange interaction in bichromophoric molecules," Chem., 1992, 38(11): 2228-2232. C79 STENZEL, R., et al., "Consa-Reactivity of AntiODigoxin Antibodies with Digitoxin Depends on Tracer Structure," Clin. Chem., 1992, 38(11): 2228-2232. C80 STRYER, L., et al., "Energy Transfer: A Spectroscopic Ruler," Proc. Natl. Acad. Sci. USA, 1967, 58: 719-726. C81 TANKE, H., "What's new from the field: Current developments in flow cytometry and fluorescent labels," ADVERTISEMENT, Molecular Probes, Inc., 1989, pp. 63-65. TANKE, H., "What's new from the field: Current developments in flow cytometry a		C68	RICE, K.G., et al., "Interterminal Distance and Flexibility of a Triantennary Glycopeptide As Measured by Resonance
C70 SCHAEFER, F.P., ct al., "Intermolecular TT-energy transfer in bifluorophoric laser dyes," Appl. Phys. B., 1982, B28(1): 37 41. C71 SCHAEFER, T., et al., "Comparison of Flexibly and Rigidly Bridged Donor-Acceptor Systems; Solvent Induced Switching Between Folded and Extended Emissive Charge-Transfer States", Recueil des Transux Chimiques des Pays-Bas, 1991, 110: 95-96. C72 SCHNEPP, O., et al., "Intramolecular energy transfer in a naphthalene-anthracene system," J. Am. Chem. Soc., 1962, 84: 172. C73 SCHOLES, G.D., et al., "Intramolecular Electronic Energy Transfer between Rigidly Linked Naphthalene and Anthracene Chromophores," Journal of Physical Chemistry, 1993, 97: 11871-11876. C75 SEUNIP, P.R., "Fluorescence Resonance Energy Transfer," Methods in Enzymology, 1995, 246: 300-335. C76 SETH, J., et al., "Investigation of electronic communication in multi-porphyrin light-harvesting arrays," J. Am. Chem. Soc., 1994, 116(23): 10578-10592. M C77 SHIPCHANDLER, M.T., et al., "4-[Aminomethylfluorescein and its N-alkyl derivatives: useful reagents in immunodiagnostic techniques," Anal. Biochem. April 1987, 162(1): 89-101. C78 SEESER, S., et al., "Intramolecular electronic energy transfer via exchange interaction in bichromophoric molecules," Chem. Phys. Lett., 1983, 102, 88-94. C79 Chem., 1992, 38(11): 2228-2232. C80 STRYER, L., et al., "Energy Transfer: A Spectroscopic Ruler," Proc. Natl. Acad. Sci. USA, 1967, 58: 719-726. C81 TAMAKI, T., "intramolecular interaction between the phenol and indole chromophore," Bull. Soc. Chem., Japan, 1973, 46: 2527. C82 TANKE, H., "What's new from the field: Current developments in flow cytometry and fluorescent labels," ADVERTISEMENT, Molecular Beacons: Probes. Inc., 1989, pp. 63-65. C83 THORNTON, N.B., et al., "Chromophore Rhodamine Dyes and Their Fluorescence Properties," Dyez Pigm., 1994, 26: 159-165. C84 TAN, H., et al., "Bichromophoric Rhodamine Dyes and Their Fluorescence Properties," Dyez Pigm., 1994, 26: 159-165. C85 TAN, H., et al., "Bichromophore Probes. Inc	m	C69	
C71 SCHAEFER, F.P., et al., "Intermolecular TT-energy transfer in bifluorophoric laser dyes," Appl. Phys. B., 1982, B28(1): 37 41. SCHERER, T., et al., "Comparison of Flexibly and Rigidly Bridged Donor-Acceptor Systems; Solvent Induced Switching Between Folded and Extended Emissive Charge-Transfer States", Recueil des Travaux Chimiques des Pays-Bas, 1991, 110: 95-96. C73 SCHNEPP, O., et al., "Intramolecular energy transfer in a naphthalene-anthracene system," J. Am. Chem. Soc., 1962, 84: 172. C74 SCHOLES, G.D., et al., "Intramolecular Electronic Energy Transfer between Rigidly Linked Naphthalene and Anthracene Chromophores," Journal of Physical Chemistry, 1993, 97: 11871-11876. C75 SELVIN, P. R., "Fluorescence Resonance Energy Transfer," Methods in Enzymology, 1995, 246: 300-335. SETH, J., et al., "Intramolecular electronic communication in multi-porphyrin light-harvesting arrays," J. Am. Chem. Soc., 1994, 116(23): 10578-10592. MCC75 SHIPCHANDLER, M.T., et al., "4-(Aminomethylfluorescein and its N-alkyl derivatives: useful reagents in immunodiagnostic techniques," Anal. Biochem., April 1987, 162(1): 89-101. SPEISER, S., et al., "Intramolecular electronic energy transfer via exchange interaction in bichromophoric molecules," Chem. Phys. Lett., 1983, 102, 88-94. STENZEL, R., et al., "Cross-Reactivity of AntiODigoxin Antibodies with Digitoxin Depends on Tracer Structure," Clin. Chem., 1992, 38(11): 2228-2232. C80 STRYER, L., et al., "Energy Transfer: A Spectroscopic Ruler," Proc. Natl. Acad. Sci. USA, 1967, 58: 719-726. TAMAKI, T., "Intramolecular interaction between the phenol and indole chromophore," Bull. Soc. Chem., Japan, 1973, 46: 2527. TAMKE, H., "What's new from the field: Current developments in flow cytometry and fluorescent labels," ADVERTISEMENT, Molecular Probes. Inc., 1983, pp. 63-65. TAMAKI, T., "Intramolecular interaction between the phenol and indole chromophore," Bull. Soc. Chem., 1994, 26: 159-165. TAM, H., et al., "Bichromophoric Rhodamine Dyes and Their Fluorescence Properties," Dyes. Pigm., 1			
SCHERER, T., et al., "Comparison of Flexibly and Rigidly Bridged Donor-Acceptor Systems; Solvent Induced Switching Between Folded and Extended Emissive Charge-Transfer States", Recueil des Travaux Chimiques des Pays-Bas, 1991, 110: 95-96. C73 SCHNEPP, O., et al., "Intramolecular energy transfer in a naphthalene-anthracene system," J. Am. Chem. Soc., 1962, 84: 172. SCHOLES, G.D., et al., "Intramolecular Electronic Energy Transfer between Rigidly Linked Naphhalene and Anthracene Chromophores," Journal of Physical Chemistry, 1993, 97: 11871-11876. C75 SELVIN, P.R., "Fluorescence Resonance Energy Transfer," Methods in Enzymology, 1995, 246: 300-335. SETH, J., et al., "Investigation of electronic communication in multi-porphyrin light-harvesting arrays," J. Am. Chem. Soc., 1994, 116(23): 10578-10592. M C77 SHIPCHANDLER, M.T., et al., "4-[Aminomethylfluorescein and its N-alkyl derivatives: useful reagents in immunodiagnostic techniques," Anal. Biochem., April 1987, 162(1): 89-101. C78 SPEISER, S., et al., "Intramolecular electronic energy transfer via exchange interaction in bichromophoric molecules," Chem. Phys. Lett., 1983, 102, 83-94. C79 STENZEL, R., et al., "Cross-Reactivity of AntiODigoxin Antibodies with Digitoxin Depends on Tracer Structure," Clin. Chem., 1992, 38(11): 2228-2232. C80 STRYER, L., et al., "Energy Transfer: A Spectroscopic Ruler," Proc. Natl. Acad. Sci. USA, 1967, 58: 719-726. C81 TAMAKI, T., "Intramolecular interaction between the phenol and indole chromophore," Bull. Soc. Chem., Japan, 1973, 46: 2527. ACR TANKE, H., "What's new from the field: Current developments in flow cytometry and fluorescent labels," ADVERTISEMENT, Molecular Probes. Inc., 1989, pp. 63-65. C82 THORNTON, N.B., et al., "Chromophore-quencher Probes for DNA," New Journal of Chemistry, 1996, 20: 791-800. C85 THAN, H. et al., "Bichromophoric Rhodamine Dyes and Their Fluorescence Properties," Dyes Pigm., 1994, 26: 159-165. C86 THAN, H. et al., "Bichromophoric Rhodamine Dyes and Their Fluorescence Properties," Dyes P			SCHAEFER, F.P., et al., "Intermolecular TT-energy transfer in bifluorophoric laser dyes," Appl. Phys. B., 1982, B28(1): 37-
C73 SCHNEPP, O., et al., "Intramolecular energy transfer in a naphthalene-anthracene system," J. Am. Chem. Soc., 1962, 84: 172. C74 SCHOLES, G.D., et al., "Intramolecular Electronic Energy Transfer between Rigidly Linked Naphalene and Anthracene Chromophores," Journal of Physical Chemistry, 1993, 97: 11871-11876. C75 SELVIN, P.R., "Fluorescence Resonance Energy Transfer," Methods in Enzymology, 1995, 246: 300-335. C76 SETH, J., et al., "Investigation of electronic communication in multi-porphyrin light-harvesting arrays," J. Am. Chem. Soc., 1994, 116(23): 10578-10592. C77 SHIPCHANDLER, M.T., et al., "4-[Aminomethylfluorescein and its N-alkyl derivatives: useful reagents in immunodiagnostic techniques," Anal. Biochem., April 1987, 162(1): 89-101. C78 STENZEL, R., et al., "Intramolecular electronic energy transfer via exchange interaction in bichromophoric molecules," Chem. Phys. Lett., 1983, 102, 83-94. C79 STENZEL, R., et al., "Cross-Reactivity of AntiODigoxin Antibodies with Digitoxin Depends on Tracer Structure," Clin. Chem., 1992, 38(11): 2228-2232. C80 STRYER, L., et al., "Energy Transfer: A Spectroscopic Ruler," Proc. Natl. Acad. Sci. USA, 1967, 58: 719-726. C81 TAMAKI, T., "Intramolecular interaction between the phenol and indole chromophore," Bull. Soc. Chem., Japan, 1973, 46: 2527. C82 TANKE, H., "What's new from the field: Current developments in flow cytometry and fluorescent labels," ADVERTISEMENT, Molecular Probes. Inc., 1989, pp. 63-65. C83 THAN, H., et al., "Bichromophoric Rhodamine Dyes and Their Fluorescence Properties," Dyes Pigm., 1994, 26: 159-165. C85 THAN, H., et al., "Bichromophoric Rhodamine Dyes and Their Fluorescence Properties," Dyes Pigm., 1994, 26: 161-174- C86 TYAGI, S., et al., "Calculation of the Distribution of Donor-Acceptor Distances in Flexible Bichromophoric Molecules. Application to Intramolecular Transfer of Excitation Energy," The Journal of Physical Chemistry, December 1989, 93:6073-6079. VALUEUR, B., et al., "Fluorescence characteristics of 5-carboxyetrameth	N	C72	SCHERER, T., et al., "Comparison of Flexibly and Rigidly Bridged Donor-Acceptor Systems; Solvent Induced Switching Between Folded and Extended Emissive Charge-Transfer States", Recueil des Travaux Chimiques des Pays-Bas, 1991, 110:
C74 SCHOLES, G.D., et al., "Intramolecular Electronic Energy Transfer between Rigidly Linked Napthalene and Anthracene Chromophores," Journal of Physical Chemistry, 1993, 97: 11871-11876. C75 SELVIN, P.R., "Fluorescence Resonance Energy Transfer," Methods in Enzymology, 1995, 246: 300-335. C76 SELVIN, P.R., "Interaction of electronic communication in multi-porphyrin light-harvesting arrays," J. Am. Chem. Soc., 1994, 116(23): 10578-10592. MC77 SHIPCHANDLER, M.T., et al., "4-[Aminomethylfluorescein and its N-alkyl derivatives: useful reagents in immunoidagnostic techniques," Anal. Biochem., April 1987, 162(1): 89-101. C78 SPEISER, S., et al., "Intramolecular electronic energy transfer via exchange interaction in bichromophoric molecules," Chem. Phys. Lett., 1983, 102, 88-94. C79 STENZEL, R., et al., "Energy Transfer: A Spectroscopic Ruler," Proc. Natl. Acad. Sci. USA, 1967, 58: 719-726. C80 STEYER, L., et al., "Energy Transfer: A Spectroscopic Ruler," Proc. Natl. Acad. Sci. USA, 1967, 58: 719-726. C81 TAMAKI, T., "Intramolecular interaction between the phenol and indole chromophore," Bull. Soc. Chem., Japan, 1973, 46: 2527. C82 TANKE, H., "What's new from the field: Current developments in flow cytometry and fluorescent labels," ADVERTISEMENT, Molecular Probes. Inc., 1989, pp. 63-65. C83 THORNTON, N.B., et al., "Chromophore-quencher Probes for DNA," New Journal of Chemistry, 1996, 20: 791-800. C84 TIAN, H. et al., "Bichromophoric Rhodamine Dyes and Their Fluorescence Properties," Dyes Pigm., 1994, 26: 152-124- C86 TYAGI, S., et al., "Molecular Beacons: Probes that Fluorescence upon Hybridization," Nature Biotechnology, March 1996, 14: 303-308. VALEUR, B., et al., "Calculation of the Distribution of Donor-Acceptor Distances in Flexible Bichromophoric Molecules. Application to Intramolecular Transfer of Excitation Energy," The Journal of Physical Chemistry, December 1989, 93:6073-6079. VAMOSI, G., et al., "Fluorescence characteristics of 5-carboxyetramethylrhodamine linked covalently to the 5' end of o	M	C73	SCHNEPP, O., et al., "Intramolecular energy transfer in a naphthalene-anthracene system," J. Am. Chem. Soc., 1962, 84:
C75 SELVIN, P.R., "Fluorescence Resonance Energy Transfer," Methods in Enzymology, 1995, 246: 300-335. C76 SETH, J., et al., "Investigation of electronic communication in multi-porphyrin light-harvesting arrays," J. Am. Chem. Soc., 1994, 116(23): 10578-10592. C77 SHIPCHANDLER, M.T., et al., "4-[Aminomethylfluorescein and its N-alkyl derivatives: useful reagents in immunodiagnostic techniques," Anal. Biochem., April 1987, 162(1): 89-101. C78 SPEISER, S., et al., "Intramolecular electronic energy transfer via exchange interaction in bichromophoric molecules," Chem. Phys. Lett., 1983, 102, 88-94. C79 STENZEL, R., et al., "Cross-Reactivity of AntiODigoxin Antibodies with Digitoxin Depends on Tracer Structure," Clin. Chem., 1992, 38(11): 2228-2232. C80 STRYER, L., et al., "Energy Transfer: A Spectroscopic Ruler," Proc. Natl. Acad. Sci. USA, 1967, 58: 719-726. C81 TAMAKI, T., "Intramolecular interaction between the phenol and indole chromophore," Bull. Soc. Chem., Japan, 1973, 46: 2527. C82 TANKE, H., "What's new from the field: Current developments in flow cytometry and fluorescent labels," ADVERTISEMENT, Molecular Probes, Inc., 1989, pp. 63-65. C84 THAN, H., et al., "Bichromophoric Rhodamine Dyes and Their Fluorescence Properties," Dyes Pigm., 1994, 26: 159-165. C85 THAN, H. et al., "Bichromophoric Rhodamine Dyes and Their Fluorescence Properties," Dyes Pigm., 1994, 26: 159-165. C86 THAN, H. et al., "Solvent Effect on the triplet lifetime of some Thodamine dyes," Dyes Pigm., 1994, 26: 161-114- TYAGI, S., et al., "Molecular Beacons: Probes that Fluorescence upon Hybridization," Nature Biotechnology, March 1996, 14: 303-308. VALEUR, B., et al., "Calculation of the Distribution of Donor-Acceptor Distances in Flexible Bichromophoric Molecules. Application to Intramolecular Transfer of Excitation Energy," The Journal of Physical Chemistry, December 1989, 93:6073-6079. VAMOSI, G.; et al., "Fluorescence characteristics of 5-carboxyetramethylrhodamine linked covalently to the 5' end of oligonucleotides: multip	m	C74	
C76 SETH, J., et al., "Investigation of electronic communication in multi-porphyrin light-harvesting arrays," J. Am. Chem. Soc., 1994, 116(23): 10578-10592. W C77 SHIPCHANDLER, M.T., et al., "4-[Aminomethylfluorescein and its N-alkyl derivatives: useful reagents in immunodiagnostic techniques," Anal. Biochem., April 1987, 162(1): 89-101. C78 SPEISER, S., et al., "Intramolecular electronic energy transfer via exchange interaction in bichromophoric molecules," Chem. Phys. Lett., 1983, 102, 88-94. C79 STENZEL, R., et al., "Cross-Reactivity of AntiODigoxin Antibodies with Digitoxin Depends on Tracer Structure," Clin. Chem., 1992, 38(11): 2228-2232. C80 STRYER, L., et al., "Energy Transfer: A Spectroscopic Ruler," Proc. Natl. Acad. Sci. USA, 1967, 58: 719-726. C81 TAMAKI, T., "Intramolecular interaction between the phenol and indole chromophore," Bull. Soc. Chem., Japan, 1973, 46: 2527. C82 TANKE, H., "What's new from the field: Current developments in flow cytometry and fluorescent labels," ADVERTISEMENT, Molecular Probes. Inc., 1989, pp. 63-65. C83 THORNTON, N.B., et al., "Chromophore-quencher Probes for DNA," New Journal of Chemistry, 1996, 20: 791-800. C84 TLAN, H., et al., "Bichromophoric Rhodamine Dyes and Their Fluorescence Properties," Dyes Pigm., 1994, 26: 159-165. C85 THAN, H. et al., "Solvent Effect on the triplet lifetime of some modamine dyes," Dyes Pigm., 1994, 26: 162-174- C86 TYAGI, S., et al., "Molecular Beacons: Probes that Fluorescence upon Hybridization," Nature Biotechnology, March 1996, 14: 303-308. VALEUR, B., et al., "Calculation of the Distribution of Donor-Acceptor Distances in Flexible Bichromophoric Molecules. Application to Intramolecular Transfer of Excitation Energy," The Journal of Physical Chemistry, December 1989, 33:6073-6079. VAMOSI, G.; et al., "Fluorescence characteristics of 5-carboxyetramethylrhodamine linked covalently to the 5' end of oligonucleotides: multiple conformers of singleOstranded and double-stranded dye-DNA complexes," Biophys. J., 1996, 71: 972-994.	Oa	C75	· · · · · · · · · · · · · · · · · · ·
SHIPCHANDLER, M.T., et al., "4-[Aminomethylfluorescein and its N-alkyl derivatives: useful reagents in immunodiagnostic techniques," Anal. Biochem., April 1987, 162(1): 89-101. C78 SPEISER, S., et al., "Intramolecular electronic energy transfer via exchange interaction in bichromophoric molecules," Chem. Phys. Lett., 1983, 102, 88-94. C79 STENZEL, R., et al., "Cross-Reactivity of AntiODigoxin Antibodies with Digitoxin Depends on Tracer Structure," Clin. Chem., 1992, 38(11): 2228-2232. STRYER, L., et al., "Energy Transfer: A Spectroscopic Ruler," Proc. Natl. Acad. Sci. USA, 1967, 58: 719-726. C80 STRYER, L., et al., "Energy Transfer: A Spectroscopic Ruler," Proc. Natl. Acad. Sci. USA, 1967, 58: 719-726. C81 TAMAKI, T., "Intramolecular interaction between the phenol and indole chromophore," Bull. Soc. Chem., Japan, 1973, 46: 2527. C82 TANKE, H., "What's new from the field: Current developments in flow cytometry and fluorescent labels," ADVERTISEMENT, Molecular Probes, Inc., 1989, pp. 63-65. C83 THORNTON, N.B., et al., "Chromophore-quencher Probes for DNA," New Journal of Chemistry, 1996, 20: 791-800. C84 TIAN, H. et al., "Bichromophoric Rhodamine Dyes and Their Fluorescence Properties," Dyes Pigm., 1994, 26: 159-165. C85 THAN, H. et al., "Solvent Effect on the triplet lifetime of some froutantine dyes," Dyes. Pigm., 1994, 26: 161-174- C86 TYAGI, S., et al., "Calculation of the Distribution of Donor-Acceptor Distances in Flexible Bichromophoric Molecules. Application to Intramolecular Transfer of Excitation Energy," The Journal of Physical Chemistry, December 1989, 93:6073-6079. VAMOSI, G.; et al., "Fluorescence characteristics of S-carboxyetramethylrhodamine linked covalently to the 5' end of oligonucleotides: multiple conformers of singleOstranded and double-stranded dye-DNA complexes," Biophys. J., 1996, 71: 972-994. WAGNER, R. W., et al., "Synthesis of facially encumbered porphyrins. An approach to light harvesting antenna		-	SETH, J., et al., "Investigation of electronic communication in multi-porphyrin light-harvesting arrays," J. Am. Chem. Soc., 1994, 116(23): 10578-10592.
C78 SPEISER, S., et al., "Intramolecular electronic energy transfer via exchange interaction in bichromophoric molecules," Chem. Phys. Lett., 1983, 102, 88-94. C79 STENZEL, R., et al., "Cross-Reactivity of AntiODigoxin Antibodies with Digitoxin Depends on Tracer Structure," Clin. Chem., 1992, 38(11): 2228-2232. STRYER, L., et al., "Energy Transfer: A Spectroscopic Ruler," Proc. Natl. Acad. Sci. USA, 1967, 58: 719-726. C81 TAMAKI, T., "Intramolecular interaction between the phenol and indole chromophore," Bull. Soc. Chem., Japan, 1973, 46: 2527. C82 TANKE, H., "What's new from the field: Current developments in flow cytometry and fluorescent labels," ADVERTISEMENT, Molecular Probes, Inc., 1989, pp. 63-65. C83 THORNTON, N.B., et al., "Chromophore-quencher Probes for DNA," New Journal of Chemistry, 1996, 20: 791-800. C84 TIAN, H., et al., "Bichromophoric Rhodamine Dyes and Their Fluorescence Properties," Dyes Pigm., 1994, 26: 159-165. C85 THAN, H. et al., "Solvent Effect on the triplet lifetime of some modamine dyes," Dyes Pigm., 1994, 26: 167-174. C86 TYAGI, S., et al., "Molecular Beacons: Probes that Fluorescence upon Hybridization," Nature Biotechnology, March 1996, 14: 303-308. VALEUR, B., et al., "Calculation of the Distribution of Donor-Acceptor Distances in Flexible Bichromophoric Molecules. Application to Intramolecular Transfer of Excitation Energy," The Journal of Physical Chemistry, December 1989, 93:6073-6079. VAMOSI, G.; et al., "Fluorescence characteristics of 5-carboxyetramethylrhodamine linked covalently to the 5' end of oligonucleotides: multiple conformers of singleOstranded and double-stranded dye-DNA complexes," Biophys. J., 1996, 71: 972-994. WAGNER, R.W., et al., "Synthesis of facially encumbered porphyrins. An approach to light harvesting antenna		C77	SHIPCHANDLER, M.T., et al., "4-[Aminomethylfluorescein and its N-alkyl derivatives: useful reagents in
C79 STENZEL, R., et al., "Cross-Reactivity of AntiODigoxin Antibodies with Digitoxin Depends on Tracer Structure," Clin. Chem., 1992, 38(11): 2228-2232. C80 STRYER, L., et al., "Energy Transfer: A Spectroscopic Ruler," Proc. Natl. Acad. Sci. USA, 1967, 58: 719-726. C81 TAMAKI, T., "Intramolecular interaction between the phenol and indole chromophore," Bull. Soc. Chem., Japan, 1973, 46: 2527. C82 TANKE, H., "What's new from the field: Current developments in flow cytometry and fluorescent labels," ADVERTISEMENT, Molecular Probes, Inc., 1989, pp. 63-65. C83 THORNTON, N.B., et al., "Chromophore-quencher Probes for DNA," New Journal of Chemistry, 1996, 20: 791-800. C84 TIAN, H. et al., "Bichromophoric Rhodamine Dyes and Their Fluorescence Properties," Dyes Pigm., 1994, 26: 159-165. C85 THAN, H. et al., "Solvent Effect on the triplet lifetime of some fluodamine dyes," Dyes Pigm., 1994, 26: 167-174. C86 TYAGI, S., et al., "Molecular Beacons: Probes that Fluorescence upon Hybridization," Nature Biotechnology, March 1996, 14: 303-308. C87 VALEUR, B., et al., "Calculation of the Distribution of Donor-Acceptor Distances in Flexible Bichromophoric Molecules. Application to Intramolecular Transfer of Excitation Energy," The Journal of Physical Chemistry, December 1989, 93:6073-6079. C88 VAMOSI, G.; et al., "Fluorescence characteristics of 5-carboxyetramethylrhodamine linked covalently to the 5' end of oligonucleotides: multiple conformers of singleOstranded and double-stranded dye-DNA complexes," Biophys. J., 1996, 71: 972-994. WAGNER, R.W., et al., "Synthesis of facially encumbered porphyrins. An approach to light harvesting antenna	α	C78	SPEISER, S., et al., "Intramolecular electronic energy transfer via exchange interaction in bichromophoric molecules,"
C80 STRYER, L., et al., "Energy Transfer: A Spectroscopic Ruler," Proc. Natl. Acad. Sci. USA, 1967, 58: 719-726. C81 TAMAKI, T., "Intramolecular interaction between the phenol and indole chromophore," Bull. Soc. Chem., Japan, 1973, 46: 2527. C82 TANKE, H., "What's new from the field: Current developments in flow cytometry and fluorescent labels," ADVERTISEMENT, Molecular Probes. Inc., 1989, pp. 63-65. C83 THORNTON, N.B., et al., "Chromophore-quencher Probes for DNA," New Journal of Chemistry, 1996, 20: 791-800. C84 TIAN, H., et al., "Bichromophoric Rhodamine Dyes and Their Fluorescence Properties," Dyes Pigm., 1994, 26: 159-165. C85 TIAN, H. et al., "Solvent Effect on the triplet lifetime of some rhodamine dyes," Dyes Pigm., 1994, 26: 167-174. C86 TYAGI, S., et al., "Molecular Beacons: Probes that Fluorescence upon Hybridization," Nature Biotechnology, March 1996, 14: 303-308. VALEUR, B., et al., "Calculation of the Distribution of Donor-Acceptor Distances in Flexible Bichromophoric Molecules. Application to Intramolecular Transfer of Excitation Energy," The Journal of Physical Chemistry, December 1989, 93:6073-6079. VAMOSI, G.; et al., "Fluorescence characteristics of 5-carboxyetramethylrhodamine linked covalently to the 5' end of oligonucleotides: multiple conformers of singleOstranded and double-stranded dye-DNA complexes," Biophys. J., 1996, 71: 972-994. C80 WAGNER, R.W., et al., "Synthesis of facially encumbered porphyrins. An approach to light harvesting antenna	n	C79	STENZEL, R., et al., "Cross-Reactivity of AntiODigoxin Antibodies with Digitoxin Depends on Tracer Structure," Clin.
C81 C82 TAMAKI, T., "Intramolecular interaction between the phenol and indole chromophore," Bull. Soc. Chem., Japan, 1973, 46: 2527. C82 TANKE, H., "What's new from the field: Current developments in flow cytometry and fluorescent labels," ADVERTISEMENT, Molecular Probes. Inc., 1989, pp. 63-65. C83 THORNTON, N.B., et al., "Chromophore-quencher Probes for DNA," New Journal of Chemistry, 1996, 20: 791-800. C84 TIAN, H., et al., "Bichromophoric Rhodamine Dyes and Their Fluorescence Properties," Dyes Pigm., 1994, 26: 159-165. C85 TIAN, H. et al., "Solvent Effect on the triplet lifetime of some modamine dyes," Dyes Pigm., 1994, 26: 167-174. C86 TYAGI, S., et al., "Molecular Beacons: Probes that Fluorescence upon Hybridization," Nature Biotechnology, March 1996, 14: 303-308. VALEUR, B., et al., "Calculation of the Distribution of Donor-Acceptor Distances in Flexible Bichromophoric Molecules. Application to Intramolecular Transfer of Excitation Energy," The Journal of Physical Chemistry, December 1989, 93:6073-6079. VAMOSI, G.; et al., "Fluorescence characteristics of 5-carboxyetramethylrhodamine linked covalently to the 5' end of oligonucleotides: multiple conformers of singleOstranded and double-stranded dye-DNA complexes," Biophys. J., 1996, 71: 972-994. C80 WAGNER, R.W., et al., "Synthesis of facially encumbered porphyrins. An approach to light harvesting antenna	Alai	C80	
TANKE, H., "What's new from the field: Current developments in flow cytometry and fluorescent labels," ADVERTISEMENT, Molecular Probes, Inc., 1989, pp. 63-65. C83 THORNTON, N.B., et al., "Chromophore-quencher Probes for DNA," New Journal of Chemistry, 1996, 20: 791-800. C84 TIAN, H., et al., "Bichromophoric Rhodamine Dyes and Their Fluorescence Properties," Dyes Pigm., 1994, 26: 159-165. C85 TIAN, H. et al., "Solvent Effect on the triplet lifetime of some modantine dyes," Dyes Pigm., 1994, 26: 167-174. TYAGI, S., et al., "Molecular Beacons: Probes that Fluorescence upon Hybridization," Nature Biotechnology, March 1996, 14: 303-308. VALEUR, B., et al., "Calculation of the Distribution of Donor-Acceptor Distances in Flexible Bichromophoric Molecules. Application to Intramolecular Transfer of Excitation Energy," The Journal of Physical Chemistry, December 1989, 93:6073-6079. VAMOSI, G.; et al., "Fluorescence characteristics of 5-carboxyetramethylrhodamine linked covalently to the 5' end of oligonucleotides: multiple conformers of singleOstranded and double-stranded dye-DNA complexes," Biophys. J., 1996, 71: 972-994. WAGNER, R.W., et al., "Synthesis of facially encumbered porphyrins. An approach to light harvesting antenna	///		TAMAKI, T., "Intramolecular interaction between the phenol and indole chromophore," Bull. Soc. Chem., Japan, 1973, 46: 2527.
C83 THORNTON, N.B., et al., "Chromophore-quencher Probes for DNA," New Journal of Chemistry, 1996, 20: 791-800. C84 TIAN, H., et al., "Bichromophoric Rhodamine Dyes and Their Fluorescence Properties," Dyes Pigm., 1994, 26: 159-165. C85 TIAN, H. et al., "Solvent Effect on the triplet lifetime of some rhodamine dyes," Dyes Pigm., 1994, 26: 167-174. C86 TYAGI, S., et al., "Molecular Beacons: Probes that Fluorescence upon Hybridization," Nature Biotechnology, March 1996, 14: 303-308. C87 VALEUR, B., et al., "Calculation of the Distribution of Donor-Acceptor Distances in Flexible Bichromophoric Molecules. Application to Intramolecular Transfer of Excitation Energy," The Journal of Physical Chemistry, December 1989, 93:6073-6079. C88 VAMOSI, G.; et al., "Fluorescence characteristics of 5-carboxyetramethylrhodamine linked covalently to the 5' end of oligonucleotides: multiple conformers of singleOstranded and double-stranded dye-DNA complexes," Biophys. J., 1996, 71: 972-994. C80 WAGNER, R.W., et al., "Synthesis of facially encumbered porphyrins. An approach to light harvesting antenna	- A -	C82	TANKE, H., "What's new from the field: Current developments in flow cytometry and fluorescent labels,"
C86 TIAN, H., et al., "Bichromophoric Rhodamine Dyes and Their Fluorescence Properties," Dyes Pigm., 1994, 26: 159-165. TYAGI, S., et al., "Molecular Beacons: Probes that Fluorescence upon Hybridization," Nature Biotechnology, March 1996, 14: 303-308. C87 VALEUR, B., et al., "Calculation of the Distribution of Donor-Acceptor Distances in Flexible Bichromophoric Molecules. Application to Intramolecular Transfer of Excitation Energy," The Journal of Physical Chemistry, December 1989, 93:6073-6079. C88 C88 C89 WAGNER, R.W., et al., "Synthesis of facially encumbered porphyrins. An approach to light harvesting antenna		C83	
C85 TIAN, H. et al., "Solvent Effect on the triplet lifetime of some modamine dyes," Dyes. Pigm., 1994, 26: 167-174. C86 TYAGI, S., et al., "Molecular Beacons: Probes that Fluorescence upon Hybridization," Nature Biotechnology, March 1996, 14: 303-308. VALEUR, B., et al., "Calculation of the Distribution of Donor-Acceptor Distances in Flexible Bichromophoric Molecules. Application to Intramolecular Transfer of Excitation Energy," The Journal of Physical Chemistry, December 1989, 93:6073-6079. VAMOSI, G.; et al., "Fluorescence characteristics of 5-carboxyetramethylrhodamine linked covalently to the 5' end of oligonucleotides: multiple conformers of singleOstranded and double-stranded dye-DNA complexes," Biophys. J., 1996, 71: 972-994. WAGNER, R.W., et al., "Synthesis of facially encumbered porphyrins. An approach to light harvesting antenna			
TYAGI, S., et al., "Molecular Beacons: Probes that Fluorescence upon Hybridization," Nature Biotechnology, March 1996, 14: 303-308. VALEUR, B., et al., "Calculation of the Distribution of Donor-Acceptor Distances in Flexible Bichromophoric Molecules. Application to Intramolecular Transfer of Excitation Energy," The Journal of Physical Chemistry, December 1989, 93:6073-6079. VAMOSI, G.; et al., "Fluorescence characteristics of 5-carboxyetramethylrhodamine linked covalently to the 5' end of oligonucleotides: multiple conformers of singleOstranded and double-stranded dye-DNA complexes," Biophys. J., 1996, 71: 972-994. WAGNER, R.W., et al., "Synthesis of facially encumbered porphyrins. An approach to light harvesting antenna			TIAN, H. et al., "Solvent Effect on the triplet lifetime of some modamine dyes," Dyes Pigm., 1994, 26: 167-174.
C87 VALEUR, B., et al., "Calculation of the Distribution of Donor-Acceptor Distances in Flexible Bichromophoric Molecules. Application to Intramolecular Transfer of Excitation Energy," The Journal of Physical Chemistry, December 1989, 93:6073-6079. VAMOSI, G.; et al., "Fluorescence characteristics of 5-carboxyetramethylrhodamine linked covalently to the 5' end of oligonucleotides: multiple conformers of singleOstranded and double-stranded dye-DNA complexes," Biophys. J., 1996, 71: 972-994. WAGNER, R.W., et al., "Synthesis of facially encumbered porphyrins. An approach to light harvesting antenna	M		TYAGI, S., et al., "Molecular Beacons: Probes that Fluorescence upon Hybridization," Nature Biotechnology, March 1996,
VAMOSI, G.; et al., "Fluorescence characteristics of 5-carboxyetramethylrhodamine linked covalently to the 5' end of oligonucleotides: multiple conformers of singleOstranded and double-stranded dye-DNA complexes," <i>Biophys. J.</i> , 1996, 71: 972-994. WAGNER, R.W., et al., "Synthesis of facially encumbered porphyrins. An approach to light harvesting antenna		C87	VALEUR, B., et al., "Calculation of the Distribution of Donor-Acceptor Distances in Flexible Bichromophoric Molecules. Application to Intramolecular Transfer of Excitation Energy," The Journal of Physical Chemistry, December 1989,
WAGNER, R.W., et al., "Synthesis of facially encumbered porphyrins. An approach to light harvesting antenna	M	C88	VAMOSI, G.; et al., "Fluorescence characteristics of 5-carboxyetramethylrhodamine linked covalently to the 5' end of oligonucleotides: multiple conformers of single0stranded and double-stranded dye-DNA complexes," <i>Biophys. J.</i> , 1996, 71:
	M	C89	WAGNER, R.W., et al., "Synthesis of facially encumbered porphyrins. An approach to light harvesting antenna

14.	C90	WAGNER, R.W., et al., "A molecular photonic wire," J. Am. Chem. Soc., 1994, 116(21): 9759-9760.
Clar	C91	WAGNER, R.W., et al., "Self-assembly of molecular devices containing a ferrocene, a porphyrin and a quinine in a triple macrocyclic architectures," J. Chem. Soc. Chem. Commun., 1991, NO. 20, PP. 1463-1466.
lu	C92	WAGNER, R.W., et al., "Synthesis of porphyrins tailored with eight facially-encumbering groups. An approach to solid state light harvesting complexes," <i>Tetrahedron</i> , 1994, 50(38): 11097-11112.
m	C93	WANG, Y., et al., "Photochemical Probes of Intramolecular Electron and Energy Transfer," Chemical Physics, March 1993, 176: 305-319.
M	C94	WASIELEWSKI, M.R., et al., "Ultrafast carotenoid to pheophorbide energy transfer in a biomimetic model for antenna function in photosynthesis," <i>Nature</i> , 1986, 322: 570-572.
m	C95	WEBER, G., et al., "Fluorescence excitation spectrum of organic compounds in solution part 1. Systems with Quantum yield independent of exciting wavelength," Trans. Faraday Soc., 1958, 54: 640.
n	C96	WEISS, S., et al., "Probing the interaction between single molecules: fluorescence resonance energy transfer between a single donor and a single acceptor," Conference title: QELS '96. Summaries of papers presented at the quantum electronics and laser science Conference. Vol. 10 1996 Technical Digest Series. Conference Edition (IEEE Cat. No. 96CH35902).
/.M	C97	WU, P., et al., "Resonance energy transfer: methods and applications," Anal. Biochem., April 1994, 218(1): 1-13.
W	C98	YANG, J., et al., "Fluorescence energy transfer studies in a cross-linked polyurethane network," Can. J. Chem., 1995, 73: 1823-1830.
h	C99	YUAN, P., "Photophysical behavior in bichromophores and energy transfer basic indicators," Ph.D. Dissertation, 1991, Tufts University.
m	C100	ZHENG, Z., et al., "Fluorescence energy-transfer cyanine heterodimers with High affinity for double-stranded DNA. II. Applications to multiplex restriction fragment sizing," Anal. Biochem., 1995, 231: 256-260.
M	C101	ZHU, Z., et al., "Directly labeled DNA probes using fluorescent nucleotides with different length linkers," Nucleic Acids Research, 1994, 22(16): 3418-3422.

	-		<u> </u>	
EXAMINER	$\overline{}$	_ /	•	DATE CONSIDERED / /
	I V	7. I <i>A</i>	,	1/20/
		α	Λ	1/2//08
EXAMINER:	Initial if ta	tion consider	ed, whether or not citation is in	conformance with MPEP 609; draw line through citation if not in conformance
			form with next communication	